

CHAIN & CABLE LUBE

SEMI-FLUID LUBRICANT
Lubricante Semi Fluido

A SUPERIOR QUALITY, MULTI-FUNCTIONAL CHAIN
AND CABLE LUBRICANT

CHAIN AND CABLE LUBE is designed to reduce friction and wear as well as extend the life of the chain. CHAIN AND CABLE LUBE is fortified with the highest quality ingredients designed to perform in the toughest conditions. CHAIN AND CABLE LUBE will create a tough durable film designed to protect from friction, wear and corrosion over a very wide variety of temperatures. CHAIN AND CABLE LUBE is ideal for chain drive bushings and pins, as well as chains, cables, gears, bearings etc.

DIRECTIONS

It is important to SHAKE WELL BEFORE AND DURING APPLICATION OF CHAIN AND CABLE LUBE. Be sure that area to be treated is clean and dry. Hold can 8 to 10 inches from surface and apply moderate amount of product. Allow CHAIN AND CABLE LUBE to set for 1 to 2 minutes before operating equipment.

For additional information including SDS and Tech Data Sheet scan QR code here →



FEATURES:

- No Fling, Semi-Gel Formulation
- Seals and Protects Against Dirt and Debris
- Made with Polymer Technology for Extra Long Durability

SUGGESTED USES:

- Chains
- Rollers
- Machinery



CHAIN & CABLE LUBE

SEMI-FLUID LUBRICANT

PRODUCT #1139

NET WEIGHT: 12.6 OZ (360 g)

CAUTION: CONTENTS UNDER PRESSURE. VAPOR MAY BE HARMFUL. READ CAUTIONS ON BACK PANEL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

CAUTIONS

The contents of this container are under pressure. Do not puncture or incinerate. Do not store in direct sunlight or where temperature exceeds 120°F. Use ventilation adequate to maintain TLV. Avoid prolonged or repeated contact with skin. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Point tip away from body and eyes before spraying. Do not spray near open flame or ignition source. Avoid contamination of food or potable water. Dispose of empty can in accordance with local regulations. Do not ingest. If skin is contacted, wash off with soap and water. If eyes are contacted, flush 15 minutes with water. See a physician. Consult Safety Data Sheet for additional information.

INGREDIENTS

Paraffin Oil 8092-95-1, Petroleum Oil 64741-96-4/64742-62-7, Propellant 68-476-86-8, Phosphorodithioic Acid, O, O-Di-C1-14-Alkyl Esters, Zinc Salts 68649-42-3

HAZARDS IDENTIFICATION

Signal Word: **WARNING**

Precautionary Statement(s):

- Skin and eye irritant
- Respiratory tract irritant
- Swallowing will cause gastrointestinal irritation

H.M.I.S.

Toxicity:2 Fire: 1 Reactivity: 0 Special: N.A

Hazard Symbol(s)



TRANSPORT INFORMATION

U.N. Number: UN 1950

U.N. Proper Shipping Name: Aerosol, Non-Flammable
Transport Hazard Class(es): 2.1

Description: UN 1950, Aerosols, Non-Flammable,
2.1, Limited Quantity

SUNRISE ENVIRONMENTAL SCIENTIFIC

800-648-1153 SUNRISENV.COM



PO BOX 10207
RENO NV, 89510

Since 1975