
VOLTON



DANGER: DO NOT INGEST. RESPIRATORY TRACT IRRITANT. MAY CAUSE SKIN IRRITATION OR BURN.



CAUTION: The contents of this container are under pressure. Do not puncture or incinerate. Do not store in direct sunlight or where temperature exceeds 120°F. Use ventilation adequate to maintain TLV. Avoid prolonged or repeated contact with skin. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Point tip away from body and eyes before spraying. Do not spray near open flame or ignition source. Avoid contamination of food or potable water. Dispose of empty can in accordance with local regulations. Do not ingest. If skin is contacted, wash off with soap and water. If eyes are contacted, flush 15 minutes with water. See a physician. This product contains a material('s) known to the State of California to cause cancer or reproductive toxicity. Consult Safety Data Sheet for additional information.



Ingredients: Trichloroethylene 79-01-6, 1,1,2,2 Tetrachloroethylene 127-18-4, Propellant 124-38-9



WARNING: This product can expose you to chemicals including Percloroethylene, which is known to the State of California to cause cancer and/ or cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

FEATURES:

- REPLACES 1.1.1.
- FAST EVAPORATING
- NON-FLAMMABLE
- COLORLESS





CAUTION: CONTENTS UNDER PRESSURE. VAPOR MAY BE HARMFUL. READ CAUTIONS ON BACK PANEL BEFORE USING. KEEP OUT OF REACH OF CHILDREN PRODUCT #1042 NET WEIGHT: 17.5 OZ (496 g)

NON-FLAMMABLE: FOR USE ON ENERGIZED EQUIPMENT ONLY

DIRECTIONS:

VOLTON will affect certain plastics. Always pre-test the product on a non-essential piece of plastic prior to using. This compound may also affect painted surfaces. Always pre-test in an inconspicuous area. Use VOLTON in a well-ventilated area. Spray on to target surface, allow sufficient work time and wipe off prior to total evaporation.

NOTE: Will cause damage to certain plastics. Do not spray on or near powdered metals. May produce phosgene gas and HCL in fire conditions.





