

Univar USA Inc Safety Data Sheet

SDS No:	
Version No:	008 2015-12-17
Order No:	

3075 Highland Pkwy, Ste 200, Downers Grove, IL 60515 (425) 889 3400

Emergency Assistance

For emergency assistance involving chemicals call Chemtrec - (800) 424-9300



SAFETY DATA SHEET

1. Identification

Product identifier: - ISOPROPYL ALCOHOL SOLUTION

Other means of identification

Synonyms: IPA, 2-Propanol, Propanol, Isopropanol

SDS number: 000100000034

Recommended use and restriction on use

Recommended use: Reserved for industrial and professional use.

Restrictions on use: Not known.

Emergency telephone number:For emergency assistance Involving chemicals

call CHEMTREC day or night at: 1-800-424-9300. CHEMTREC INTERNATIONAL Tel# 703-527-3887

2. Hazard(s) identification

Hazard classification

Physical hazards

Flammable liquids Category 2

Health hazards

Serious eye damage/eye irritation Category 2A

Specific target organ toxicity - single Category 3

exposure

Label elements

Hazard symbol



SDS NO:10000034 VERSION:008 2015-12-17

Version: 1.12

Revision date: 12/17/2015



Signal word Danger

Hazard statement Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statement

Prevention Use personal protective equipment as required. Keep container tightly

closed. Ground/bond container and receiving equipment. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly

after handling.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If exposed or

concerned: Get medical advice/attention.

Storage Store in a closed container. Keep container tightly closed. Store in well-

ventilated place. Store in a dry place. Store locked up.

Disposal Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Annotation:

Version: 1.12

Revision date: 12/17/2015



Other hazards which do not result in GHS classification

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

3. Composition/information on ingredients

Substances

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
Isopropyl Alcohol		67-63-0	>=10 - <=99%
Water		7732-18-5	>=1 - <=90%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Call a physician or poison control center immediately. Only induce

vomiting at the instruction of medical personnel. Never give anything by

mouth to an unconscious person. Rinse mouth thoroughly.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. Perform artificial

respiration if breathing has stopped. Get medical attention immediately.

Skin contact: Immediately flush with plenty of water for at least 15 minutes while

> removing contaminated clothing and shoes. Get medical attention if symptoms occur. Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to

do, remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

Revision date: 12/17/2015



General fire hazards: Use water spray to keep fire-exposed containers cool. Water may be

ineffective in fighting the fire. Fight fire from a protected location. Move

containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing Use: Carbon dioxide or dry powder. Water in large amounts. Alcohol

media: resistant foam. Use fire-extinguishing media appropriate for surrounding

materials.

Unsuitable extinguishing

media:

No data available.

Specific hazards arising from the

chemical:

Heat may cause the containers to explode. Vapors may travel considerable

distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of vapors or gases to explosive

concentrations.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment for

fire-fighters:

Use water spray to keep fire-exposed containers cool. Firefighters must use standard protective equipment including flame retardant coat, helmet

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Use personal protective equipment. Keep unauthorized personnel away. Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

Methods and material for

containment and cleaning up:

upwind. All equipment used when handling the product must be grounded. Absorb spill with vermiculite or other inert material, then place in a container for

chemical waste. Dike far ahead of larger spill for later recovery and disposal. Eliminate all ignition sources if safe to do so.

Notification Procedures: Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk.

Environmental precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

Revision date: 12/17/2015



7. Handling and storage

Precautions for safe handling: Flammable/combustible - Keep away from oxidizers, heat and flames.

Avoid contact with skin and eyes. Avoid breathing mists or vapors. Use only with adequate ventilation. Wash hands thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/bond container and receiving equipment. Take precautionary

measures against static discharges.

Conditions for safe storage,

including any incompatibilities:

Store in a well-ventilated place. Store in a cool place.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical identity	Туре	Exposure Limit values		Source	
Isopropyl Alcohol	TWA	200 ppm		US. ACGIH Threshold Limit Values (03	
				2013)	
	STEL	400 ppm		US. ACGIH Threshold Limit Values (03	
				2013)	
	REL	400 ppm	980	US. NIOSH: Pocket Guide to Chemical	
			mg/m3	Hazards (2010)	
	STEL	500 ppm	1,225	US. NIOSH: Pocket Guide to Chemical	
			mg/m3	Hazards (2010)	
	PEL	400 ppm	980	US. OSHA Table Z-1 Limits for Air	
			mg/m3	Contaminants (29 CFR 1910.1000)	
				(02 2006)	
	STEL	500 ppm	1,225	US. OSHA Table Z-1-A (29 CFR	
			mg/m3	1910.1000) (1989)	
	TWA	400 ppm	980	US. OSHA Table Z-1-A (29 CFR	
			mg/m3	1910.1000) (1989)	
	STEL	500 ppm	1,225	US. Tennessee. OELs. Occupational	
			mg/m3	Exposure Limits, Table Z1A (06 2008)	
	TWA	400 ppm	980	US. Tennessee. OELs. Occupational	
			mg/m3	Exposure Limits, Table Z1A (06 2008)	
	ST ESL		4,920	US. Texas. Effects Screening Levels	
			μg/m3	(Texas Commission on Environmental	
				Quality) (02 2013)	

SDS NO:10000034 VERSION:008 2015-12-17

Version: 1.12

Revision date: 12/17/2015



Π					
AN	ESL	492 US. T		US. Texas. Effects Screening Levels	
		μg/m3 (Texas Commission on Environm		(Texas Commission on Environmental	
				Quality) (02 2013)	
ST	ESL	2,000 ppb		US. Texas. Effects Screening Levels	
				(Texas Commission on Environmental	
				Quality) (02 2013)	
AN	ESL		200 ppb	US. Texas. Effects Screening Levels	
				(Texas Commission on Environmental	
				Quality) (02 2013)	
TW	/A PEL	400 ppm	980	US. California Code of Regulations,	
			mg/m3	Title 8, Section 5155. Airborne	
				Contaminants (02 2012)	
STE	L	500 ppm	1,225	US. California Code of Regulations,	
			mg/m3	Title 8, Section 5155. Airborne	
				Contaminants (02 2012)	

Biological limit values

Chemical identity	Exposure Limit values	Source
Isopropyl Alcohol	40 mg/l (Urine)	ACGIH BEL (03 2013)
(acetone: Sampling		
time: End of shift at		
end of work week.)		

Appropriate engineering

No data available.

controls

Revision date: 12/17/2015



Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required. Always observe good

personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Practice good housekeeping. Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use

explosion-proof ventilation equipment.

Eye/face protection:

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection: No data available.

Other: No data available.

Respiratory protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke.

9. Physical and chemical properties

Physical state: Liquid

Form:
Color:
No data available.
Clear water-white
Odor:
Odor of alcohol
No data available.
pH:
No data available.

Melting point/freezing point: -88 °C

Initial boiling point and boiling range: 80 - 100 °C

Flash Point: 13 °C

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

SDS US - 000100000034

SDS NO:10000034 VERSION:008 2015-12-17

Version: 1.12

Revision date: 12/17/2015



Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

No data available.

No data available.

Vapor density: 2.07
Relative density: 0.8235

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

Viscosity: 2.6 mm2/s

10. Stability and reactivity

Reactivity: No data available.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous No data available.

reactions:

Conditions to avoid: Flammable/combustible - Keep away from oxidizers, heat and flames. **Incompatible materials:** Strong oxidizing agents. Aldehydes. Amines. Caustics. Alkanolamines.

Hazardous decomposition No data available.

products:

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:No data available.Inhalation:No data available.Skin contact:No data available.Eye contact:No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix (): 3,636.363636 mg/kg

Annotation:

Version: 1.12

Revision date: 12/17/2015



Dermal

Product:

Not classified for acute toxicity based on available data.

Inhalation

Product: No data available.

Repeated dose toxicity

Product: No data available.

Skin corrosion/irritation

Product: No data available.

Serious eye damage/eye irritation

No data available. **Product:**

Respiratory or skin sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

Product: No data available.

In vivo

No data available. Product:

Reproductive toxicity

Product: No data available.

Specific target organ toxicity - single exposure

Product: No data available. Specific target organ toxicity - repeated exposure **Product:** No data available.

Aspiration hazard

Product: No data available. Other effects: No data available.

Revision date: 12/17/2015



12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Isopropyl Alcohol LC 50 (Fathead minnow (Pimephales promelas), 1 h): 11,830 mg/l Mortality

LC 50 (Fathead minnow (Pimephales promelas), 24 h): 10,600 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 24 h): 11,160 mg/l Mortality LC 50 (Harlequinfish, red rasbora (Rasbora heteromorpha), 24 h): 7,100 mg/l Mortality LC 50 (Bluegill (Lepomis macrochirus), 24 h): >

1,400 mg/l Mortality

Aquatic invertebrates

Product: No data available.

Specified substance(s):

Isopropyl Alcohol LC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Mortality LC 50

(Common shrimp, sand shrimp (Crangon crangon), 48 h): 900 - 1,950 mg/l Mortality LC 50 (Common shrimp, sand shrimp (Crangon crangon), 96 h): 750 - 1,650 mg/l Mortality LC 50 (Brine shrimp (Artemia salina), 24 h): >

10,000 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: No data available.

BOD/COD ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration factor (BCF)

Product: No data available.

Partition coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

UNIVAR USA INC. ISSUE DATE:2015-12-17

SDS NO:10000034 VERSION:008 2015-12-17

Annotation:

Version: 1.12

Revision date: 12/17/2015



Isopropyl Alcohol Log Kow: 0.05 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Propan-2-ol No data available. Water No data available.

Known or predicted distribution to environmental compartments

Propan-2-ol No data available.

Known or predicted distribution to environmental compartments

Water No data available.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated packaging: No data available.

14. Transport information

DOT

UN number: UN 1219

UN proper shipping name: Isopropanol Solution

Transport hazard class(es)

Class: 3 3 Label(s): Packing group:

Marine Pollutant: Not regulated.

Special precautions for user:

IMDG

UN number: UN 1219 UN proper shipping name: **ISOPROPANOL**

Transport hazard class(es)

Class: 3 Label(s): 3 EmS No.: F-E, S-D

Packing group:

Marine Pollutant: Not regulated.

SDS NO:10000034 VERSION:008 2015-12-17

Version: 1.12

Revision date: 12/17/2015



Special precautions for user:	_	
IATA		
UN number:	UN 1219	
Proper Shipping Name:	Isopropano	Solution
Transport hazard class(es):		
Class:	3	
Label(s):	3	
Packing group:	II	
Environmental hazards	Not regulat	ed.
Special precautions for user:	_	
Other information		
Passenger and cargo aircraft	: Allowed.	
Cargo aircraft only:	Allowed.	
15. Regulatory information		
None present or none present in re CERCLA Hazardous Substance List (4 Isopropyl Alcohol Re Superfund amendments and reauth Hazard categories Acute (Immediate) Chroni SARA 302 Extremely hazardous None present or none pr SARA 304 Emergency release no Chemical identity Isopropyl Alcohol	egulated quantition of CFR 302.4): eportable quantition act of Comparison act of Com	ty: 100 lbs. 1986 (SARA) Fire Reactive Pressure Generating ed quantities.
SARA 311/312 Hazardous chemi		
	reshold Plannin	
	reshold Plannin	
Isopropyl Alcohol		500 lbs
Water		500 lbs
SARA 313 (TRI reporting)	norting	
	eporting reshold for	Reporting threshold for
	ther users	manufacturing and processing
Isopropyl Alcohol	10000 lbs	25000 lbs.
Clean Water Act Section 311 Hazard		

None present or none present in regulated quantities.

Revision date: 12/17/2015



Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US state regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Isopropyl Alcohol Listed

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Revision date: 12/17/2015



Not in compliance with the inventory. **Inventory Status:** Australia AICS: Canada DSL Inventory List: Not in compliance with the inventory. **EU EINECS List:** On or in compliance with the inventory **EU ELINCS List:** Not in compliance with the inventory. Japan (ENCS) List: Not in compliance with the inventory. EU No Longer Polymers List: Not in compliance with the inventory. China Inv. Existing Chemical Substances: Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory. Canada NDSL Inventory: Not in compliance with the inventory. Philippines PICCS: Not in compliance with the inventory. US TSCA Inventory: On or in compliance with the inventory New Zealand Inventory of Chemicals: Not in compliance with the inventory. Not in compliance with the inventory. Japan ISHL Listing: Japan Pharmacopoeia Listing: Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*		1
Flammability			3
Physical hazards			0
PERSONAL PROTECTI	ON	К	

K - Hood, Gloves, Protective Suit & Boots

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date: 12/17/2015
Revision date: No data available.

Version #: 1.12

Further information: No data available.

SDS NO:10000034 VERSION:008 2015-12-17

Version: 1.12

Revision date: 12/17/2015



Univar USA Inc Safety Data Sheet

For Additional Information contact SDS Coordinator during business hours, Pacific time: (425) 889-3400

Notice

Univar USA Inc. ("Univar") expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis. These can be obtained from your local Univar sales office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process